


NTN BEARING CORPORATION OF AMERICA

Head Office

 1501 Woodfield Rd,
Schaumburg, IL 60173


Phone: 847-298-7500

Fax: 847-699-9744

Toll Free: 800-323-2358

Email: mkt@ntnamerica.com
Website: www.ntnamericas.com

Item # CRV10XLLH


[Order Now](#) | [Technical Specifications](#) | [Dimensional Specifications](#)

Order Now

Ordering Options


[FIND A DISTRIBUTOR](#)
[CONTACT NTN CUSTOMER SUPPORT SPECIALIST](#)
[ORDER THROUGH NTN DOL \(AUTHORIZED DISTRIBUTORS ONLY\)](#)

Technical Specifications

Type	Cam Follower
Material	Through Hardened Steel
Thread Type	Inch

Limiting Speed - Oil	10000.0 RPM
Limiting Speed - Grease	10000 RPM
Roller Type	Cylindrical
Bearing Type	Needle Roller Bearing
Outside Ring Type	Cylindrical
Enclosure	Double Sealed
Drive Type	Hex
Configuration	One
Torque	0.9 lb·ft 4 N·m
Static Load Rating	127 lbf 565 N
Dynamic Load Rating	1250 lbf 5550 N
Weight	0.044 lb 0.020 kg
Operating Temperature Range	-40 to 250 °F -40 to 120 °C

Dimensional Specifications



Cam Follower Stud Type Track Roller Bearing - Cylindrical O.D., CRV..LLH Type - Dimensions

G	1/4-28UNF
B1	1.0945 in 27.800 mm

B2	0.6260 in 15.900 mm
D	0.6250 in 15.875 mm
D Tolerance	0/-0.0020 in 0/-0.050 mm
B	0.4685 in 11.900 mm
C	0.4063 in 10.319 mm
C Tolerance	0/-0.0051 in 0/-0.130 mm
d1	0.2500 in 6.350 mm
d1 Tolerance	0.0010/0 in 0.025/0 mm
G1	0.3110 in 7.900 mm
e	0.4921 in 12.500 mm
F	0.3193 in 8.110 mm
C1	0.0315 in 0.800 mm
h	0.1250 in 3.175 mm